



ПРИВРЕДНИ АПЕЛАЦИОНИ СУД
(назив Наручиоца)

Број: 11 ај 22/19-57

Датум: 07.06.2019.

Београд, Немањина 9
(адреса Наручиоца)

privatno društvo sa ograničenom odgovornošću
za promet roba i usluga u zemlji i inostranstvu

S A G A

Broj

4272/19
07.06. 2019. god.

УГОВОР О ЈАВНОЈ НАБАВЦИ ___/2019

Закључен дана _____

УГОВОРНЕ СТРАНЕ:

1. Привредни апелациони суд са седиштем у Београду, улица Немањина бр 9, ПИБ106399797, матични број 17772775 кога заступа председник суда Јасминка Обућина (у даљем тексту: Наручилац)
2. Привредно друштво са ограниченом одговорношћу за промет роба и услуга у земљи и иностранству „SAGA“ д.о.о. Нови Београд, Булевар Зорана Ђинђића 64а, ПИБ 100394832, матични број 17493647, које заступа Небојша Бјелотомић, директор (у даљем тексту: Добављач)

УГОВОРНЕ СТРАНЕ КОНСТАТУЈУ:

- да је Управа за заједничке послове, на основу члана 49. ЗЈН ("Службени гласник РС", бр. 124/2012, 14/2015 и 68/2015), Уредбе о Управи за заједничке послове републичких органа („Службени гласник РС“, број 63/2013), Уредбе о предмету, условима, начину планирања централизованих јавних набавки и спровођењу поступка јавне набавке од стране Управе за заједничке послове републичких органа као тела за спровођење јавних набавки („Службени гласник РС“, број 93/2015), Одлуке о утврђивању Списка наручилаца за чије потребе Управа за заједничке послове републичких органа спроводи централизоване јавне набавке („Службени гласник РС“ број 12/2015), Одлуке о одређивању централизованих јавних набавки добара и услуга које ће спроводити Управа за заједничке послове републичких органа у 2019. години (Службени гласник РС“ број 49/2018), Годишњег плана централизованих јавних набавки за 2019. годину, на основу сагласности Владе – Решење 05 број 404-10035/2018 од 25.10.2018. године („Службени гласник РС“ број 81/2018) и Претходног обавештења од 14.12.2018. као и подзаконских аката, спровела отворени поступак централизоване јавне набавке број 2/2019,

чији је предмет набавка рачунарске опреме - хардвер (чија појединачна вредност не прелази износ од 500.000,00 динара) ради закључења оквирног споразума са једним Добављачем за сваку партију појединачно на период од једне године;

- да је предмет јавне набавке обликован у 41 партију и то: Партија 1 - Преносни лаптоп уређаји Тип 1; Партија 2 - Преносни лаптоп уређаји Тип 2; Партија 3 - Преносни лаптоп уређаји Тип 3; Партија 4 - Преносни лаптоп уређаји Тип 4; Партија 5 - Преносни лаптоп уређаји Тип 5; Партија 6 - Преносни лаптоп уређаји Тип 6; Партија 7 - Преносни лаптоп уређаји Тип 7; Партија 8 - Преносиви лаптоп уређај Тип 8; Партија 9 - Преносиви лаптоп уређај Тип 9; Партија 10 - Преносни лаптоп уређаји Тип 10; Партија 11 - Преносни лаптоп уређаји Тип 11; Партија 12 - Радне станице Тип 1; Партија 13 - Радне станице Тип 2; Партија 14 - Радне станице Тип 3; Партија 15 - Радне станице Тип 4; Партија 16 - Радне станице Тип 5; Партија 17 - Радне станице Тип 6; Партија 18 - Радне станице Тип 7; Партија 19 - Радне станице Тип 8; Партија 20 - Радне станице Тип 9; Партија 21 - Уређаји за штампање Тип 1 (црно-бели штампач ласер А4); Партија 22 - Уређаји за штампање Тип 2 (мрежни црно-бели штампач ласер А4); Партија 23 - Уређаји за штампање Тип 3 (црно-бели штампач ласер А4 са могућношћу дуплекс штампе); Партија 24 - Уређаји за штампање Тип 4 (мрежни колор ласерски штампач А4); Партија 25 - Уређаји за штампање Тип 5 (мрежни ласерски штампач А4 са могућношћу двостране штампе); Партија 26 - Уређаји за штампање Тип 6 (црно-бели мрежни штампач ласер А3); Партија 27 - Уређаји за штампање Тип 7 (мрежна црно-бела мултифункционална машина ласер А4); Партија 28 - Уређаји за штампање Тип 8 (мрежна црно-бела мултифункционална машина ласер А3 подна); Партија 29 - Уређаји за штампање Тип 9 (мрежна црно-бела мултифункционална машина А4 са могућношћу двостране штампе); Партија 30 - Уређаји за штампање Тип 10 (матрични штампач А4); Партија 31 - Уређаји за штампање Тип 11 (мрежна црно-бела мултифункционална машина ласер А4); Партија 32 - Уређаји за штампање Тип 12. Мрежни мултифункционални уређај А4 ласер у боји; Партија 33 - Уређаји за штампање Тип 13 (мрежна црно-бела мултифункционална машина ласер А4); Партија 34 - Монитори Тип 1; Партија 35 - Монитори Тип 2; Партија 36 - Уређај за непрекидно напајање Тип 1 и Партија 37 - Уређај за непрекидно напајање Тип 3.

- да је Продавац доставио понуду број **2671 од 04.04.2019**, која се налази се у прилогу Уговора и саставни је део Уговора;

- да Наручилац на основу закљученог Оквирног споразума број **404-02-946/2019-01 од 10.05.2019**, изменом I Оквирног споразума број 404-02-946-01/2019-01 од 7. јуна 2019. године закључује Уговор о набавци **Партија 23 – Уређај за штампање Тип 3** за партију/е;

- да се овај уговор закључује под условима из оквирног споразума у погледу спецификација предмета набавке, цене, начина и рока плаћања, места, начина и рока испоруке добара.

ПРЕДМЕТ УГОВОРА, ЦЕНА И УСЛОВИ ПЛАЋАЊА

Члан 1.

Предмет Уговора је набавка Партија 23 – Уређај за штампање Тип 3(црно-бели штампач ласер А4 са могућношћу дуплекс штампе) и то:

Технологија штампе: Monochrome laser; Резолуција: мин. 1200 dpi ; Формат - Тип штампача: А4 ; Меморија: мин. 256 MB; Брзина штампања : мин 43 ppm једнострано , 30 ppm двострано; Процесор: Мин 1.5 GHz; Капацитет улазне фиоке: мин 550 листова; Број фиока за папир: 1 фиоке; Формати медија на којима може да се штампа: А4, А5; Двострано штампање: Да; Прикључци: USB 2.0 и LAN RJ-45; Подршка за мрежу: Gigabit Ethernet 10/100/1000 ; Месечни обим штампе: мин 100.0000 страна месечно, препоручено 6.000 страна ; Софтвер у паковању: Да; Подржани оперативни системи: Microsoft Windows; Гаранција: Минимално 12 месеци; Остало: LCD екран

ШТАМПАЧ „HP M507 dn“ и то 8 комада по цени од 54.154,50 динара без ПДВ-а и

Члан 2.

Укупна уговорена цена износи **433.236,00** без ПДВ-а, FCO Наручилац. У цену су урачунати сви зависни и пратећи трошкови.

Цена је фиксна и не може се мењати у току важења оквирног споразума односно уговора.

НАЧИН И УСЛОВИ ПЛАЋАЊА

Члан 3.

Плаћање ће се извршити у року 30 дана од дана од дана службеног пријема фактуре која мора да садржи број и датум закљученог уговора. а у складу са Правилником о начину и поступку регистравања фактура односно других захтева за исплату, као и начину вођења и садржају Централног регистра фактура (Службени гласник бр. 7/2018).

Обавезе Наручиоца које доспевају у наредној буџетској години биће реализоване највише до износа финансијских средстава која ће Наручиоцу бити одобрена за наредну буџетску годину.

Наручилац задржава право авансног плаћања ради реализације средстава одређених за предметну јавну набавку и предвиђених планом набавки за текућу буџетску годину, а Продавац се обавезује да обезбеди одговарајуће средство финансијског обезбеђења, за повраћај авансног плаћања, што ће бити регулисано уговором.

СРЕДСТВО ФИНАНСИЈСКОГ ОБЕЗБЕЂЕЊА

Члан 4.

Оригинал банкарска гаранција за добро извршење посла за уговор, чија вредност прелази износ од милион динара

Продавац је у тренутку закључења уговора предао Наручиоцу као средство финансијског обезбеђења, оригинал банкарску гаранцију за добро извршење посла, у висини од 10% од укупне уговорене цене, без ПДВ-а, која мора трајати најмање 30 дана дужи од истека рока важности Уговора, односно испуњења уговорних обавеза.

Банкарска гаранција се доставља за сваки уговор.

Поднета банкарска гаранција је безусловна, неопозива и платива на први позив, без приговора и саставни је део Уговора.

*
* *

Сопствена меница за добро извршење посла за уговор чија вредност не прелази милион динара

Продавац је у тренутку закључења уговора предао Наручиоцу:

- Попуњену сопствену меницу за добро извршење посла у висини од 10% од укупно уговорене цене, оверену, потписану од стране лица овлашћеног за заступање и регистровану у складу са чланом 47а Закона о платном промету („Службени лист СРЈ“ бр. 3/2002 и 5/2003 и „Сл. гласник РС“ бр. 43/2004, 62/2006, 111/2009, 31/2011, 139/2014 и други) и Одлуком НБС о ближим условима, садржини и начину вођења Регистра меница и овлашћења („Службени гласник РС“ бр. 56/2011, 80/2015 и 76/2016).

- Менично овлашћење да се меница у висини од 10% од укупне уговорене цене без ПДВ-а, без сагласности Продавца може поднети на наплату у року који траје најмање 30 дана дужи од истека рока важности уговора, односно испуњења уговорних обавеза, у случају неизвршења уговорних обавеза.

- Потврду о регистрацији менице,
- Копију картона депонованих потписа код банке на којим се јасно виде депоновани потпис и печат Продавца, оверен печатом банке са датумом овере, не старијом од 30 дана, од дана закључења Уговора.

Потпис овлашћеног лица на меници и меничном овлашћењу мора бити идентичан са потписом у картону депонованих потписа.

У случају промене лица овлашћеног за заступање, менично овлашћење остаје на снази.

Меница за добро извршење посла се доставља за сваки појединачно закључени уговор.

Члан 5.

Оригинал банкарска гаранција за отклањање недостатака у гарантном року за уговоре, чија вредност прелази износ од милион динара

Понуђач којем је додељен уговор је дужан да у тренутку примопредаје предмета уговора, као средство финансијског обезбеђења преда наручиоцу оригинал банкарску гаранцију за отклањање недостатака у гарантном року, у висини од 5% од укупне уговорене цене, без ПДВ-а, која траје 5 дана дуже од гарантног рока.

Поднета банкарска гаранција мора бити безусловна, неопозива и платива на први позив, без приговора.

Банкарска гаранција за отклањање недостатака у гарантном року се доставља за сваки појединачни уговор.

*
* *

Сопствена меница за отклањање недостатака у гарантном року за уговоре чија вредност не прелази милион динара

Понуђач је дужан да у тренутку примопредаје предмета уговора преда Наручиоцу:

- **Попуњену сопствену меницу за отклањање недостатака у гарантном року**, у висини од 5% од укупне уговорене цене без ПДВ-а, потписану и оверену, од стране лица овлашћеног за заступање и регистровану у складу са чланом 47а Закона о платном промету („Службени лист СРЈ“ бр. 3/2002 и 5/2003 и „Сл. гласник РС“ бр. 43/2004, 62/2006, 111/2009, 31/2011, 139/2014 и други) и Одлуком НБС о ближим условима, садржини и начину вођења Регистра меница и овлашћења („Службени гласник РС“ бр. 56/2011, 80/2015 и 76/2016).

- Менично овлашћење да се меница у висини од 5% од укупне уговорене цене без ПДВ-а, са роком важења 5 дана дуже од истека гарантног рока, без сагласности понуђача може поднети на наплату у случају неизвршења уговорних обавеза;

- Потврду о регистрацији менице;

- Копију картона депонованих потписа код банке на којим се јасно виде депоновани потпис и печат понуђача, оверен печатом банке са датумом овере, не старијим од 30 дана, од дана извршења уговорне обавезе.

Потпис овлашћеног лица на меници и меничном овлашћењу мора бити идентичан са потписом у картону депонованих потписа.

У случају промене лица овлашћеног за заступање, менично овлашћење остаје на снази.

Меница за за отклањање недостатака у гарантном року се доставља за сваки појединачно закључени уговор.

РЕАЛИЗАЦИЈА СРЕДСТВА ФИНАНСИЈСКОГ ОБЕЗБЕЂЕЊА

Члан 6.

Наручилац може да реализује средство финансијског обезбеђења уколико Продавац не испуњава уговорне обавезе.

НАЧИН И УСЛОВИ ЗАКЉУЧЕЊА УГОВОРА

Члан 7.

Након закључења Оквирног споразума (*назив оквирног споразума*) са Продавцем, настала је потреба за предметом набавке и упућен је позив Продавцу за закључење уговора на основу оквирног споразума.

Продавац се у року од пет дана одазвао позиву за закључење Уговора.

Овим уговором се не мењају битни услови из Оквирног споразума јер се Уговор закључује под условима из оквирног споразума у погледу спецификације предмета набавке, начина и рока плаћања, цене, места, начина и рока испоруке добара.

Уговор се закључује пре завршетка трајања Оквирног споразума а трајање Уговора се не мора подударати са трајањем Оквирног споразума, већ по потреби може трајати краће или дуже.

НАЧИН И РОК ИСПОРУКЕ

Члан 8.

Продавац је дужан да изврши испоруку добара у року од **30** дана од дана потписивања Уговора односно писменог захтева овлашћеног лица наручиоца у складу са чланом 14. Оквирног споразума којим се регулише начин и услови закључења појединачних уговора.

Наручилац задржава право да одступи од процењене количине добара из члана 1. Уговора.

ГАРАНЦИЈА И СЕРВИСИРАЊЕ

Члан 9.

Гаранција добара која су предмет Уговора је произвођачка, а понуђена гаранција износи 36 месеци.

Продавац је дужан да у гарантном року пружа услугу сервисирања опреме, тј. обезбеди сервис у гарантном року.

Сервисирање опреме за време трајања гарантног рока вршиће се по следећим условима:

- време одзива по позиву је максимално до краја следећег радног дана

- време отклањања уоченог недостатка је максимално 3 (три) радна дана, од истека рока утврђеног за одзив на позив.

Уколико Продавац у наведеним роковима не изврши поправку опреме, дужан је да обезбеди и инсталира опрему истих или сличних карактеристика, до поправке и довођења опреме у исправно и функционално стање.

МЕСТО ИСПОРУКЕ

Члан 10.

Испорука добара вршиће се на адреси **ПРИВРЕДНИ АПЕЛАЦИОНИ СУД, Београд, Немањина 9.**

НАЧИН СПРОВОЂЕЊА КОНТРОЛЕ И ОБЕЗБЕЂИВАЊА ГАРАНЦИЈЕ КВАЛИТЕТА

Члан 11.

Наручилац и Продавац ће записнички констатовати преузимање добара. У случају записнички утврђених недостатака у квалитету и квантитету испоручених добара, Продавац је дужан у року од 24 сата замени добро на коме је утврђен недостатак.

ВИША СИЛА

Члан 12.

Уколико после закључења Уговора наступе околности више силе које доведу до ометања или онемогућавања извршења обавеза дефинисаних Уговором, рокови извршења обавеза ће се продужити за време трајања више силе.

Виша сила подразумева екстремне и ванредне догађаје који се не могу предвидети, који су се догодили без воље и утицаја страна у оквирном споразуму и који нису могли бити спречени од стране погођене вишом силом. Вишом силом могу се сматрати поплаве, земљотреси, пожари, политичка збивања (рат, нереди већег обима, штрајкови), императивне одлуке власти (забрана промета увоза и извоза) и слично.

Уговорна страна погођена вишом силом, одмах ће у писаној форми обавестити другу страну о настанку непредвиђених околности и доставити одговарајуће доказе.

ПАРТНЕРСКИ ОДНОС СА ПРОИЗВОЂАЧЕМ ОПРЕМЕ ЗА ПРОДАЈУ ПОНУЂЕНЕ ОПРЕМЕ

Члан 13.

Продавац је за добра из члана 1. Уговора доставио одговарајући документ о партнерству са произвођачем опреме, који се односи на продају опреме која је предмет Уговора.

ТЕХНИЧКА ДОКУМЕНТАЦИЈА

Члан 14.

Продавац је у понуди доставио техничку документацију произвођача опреме.

ИЗМЕНЕ ТОКОМ ТРАЈАЊА УГОВОРА

Члан 15.

Наручилац може, на основу члана 115. ЗЈН, након закључења уговора о јавној набавци, без спровођења поступка јавне набавке повећати обим предмета набавке, уколико за то постоје оправдани разлози.

ЗАШТИТА ПОДАТАКА НАРУЧИОЦА

Члан 16.

Продавац је дужан да у току реализације Уговора чува као поверљиве све информације од неовлашћеног коришћења и откривања као пословну тајну, који могу бити злоупотребљени у безбедносном смислу. Изјава о чувању поверљивих података Наручиоца је саставни део Уговора.

ПРОМЕНА ПОДАТАКА

Члан 17.

Продавац је дужан да у складу са одредбом члана 77. ЗЈН ("Службени гласник РС", бр. 124/2012, 14/2015 и 68/2015), без одлагања писмено обавести Наручиоца о било којој промени у вези са испуњеношћу услова из члана 77. која наступи током важења Уговора, односно наручиоце током важења уговора и да је документује на прописани начин.

ПРАЋЕЊЕ РЕАЛИЗАЦИЈЕ ОКВИРНОГ СПОРАЗУМА

Члан 18.

Наручиоци су дужни да у року од три дана, од дана закључења уговора унесу податке у Информациони систем централизованих јавних набавки (ИС ЦЈН) и то:

- 1) назив и адресу наручиоца;
- 2) вредност уговора;
- 3) датум закључења уговора и
- 4) период важности уговора, ради праћења извршења оквирних споразума од стране Управе за заједничке послове.

Оквирни споразум могу користити само наручиоци који су прецизно наведени у оквирном споразуму или се на основу оквирног споразума јасно може утврдити којим наручиоцима је намењен.

Управа за заједничке послове објављује на својој интернет презентацији закључене оквирне споразуме са потребном пратећом документацијом за њихову реализацију.

ТРАЈАЊЕ УГОВОРА

Члан 19.

Уговор се закључује даном потписивања обе уговорне стране.

Уговор ће се примењивати на период од годину дана од дана закључења (Наручилац и Продавац закључују уговор у складу са чланом 14. Оквирног споразума).

Свака од уговорних страна може једнострано раскинути уговор у случају када друга страна не испуњава или неблаговремено испуњава своје уговором преузете обавезе.

О раскиду уговора, уговорна страна је дужна писменим путем обавестити другу уговорну страну.

Уговор ће се сматрати раскинутим по протеклу рока од 15 дана од дана пријема писменог обавештења о раскиду Уговора.

ПРЕЛАЗНЕ И ЗАВРШНЕ ОДРЕДБЕ

Члан 20.

За све што није предвиђено овим уговором, примењиваће се одредбе Закона о облигационим односима.

Члан 21.

Потраживања из овог уговора не могу се уступати другим правним или физичким лицима, нити се на њима може успостављати заложно право, односно не могу на било који други начин бити коришћена као средство обезбеђења према трећим лицима.

Члан 22.

Измене и допуне овог уговора могу се вршити само у писменој форми и уз обострану сагласност уговорних страна.

Члан 23.

Све евентуалне спорове уговорне стране ће решавати споразумно, у супротном уговоравају надлежност Привредни суд у Београду.

Члан 24.

Овај уговор сачињен је у 6 (шест) истоветних примерака, од којих свака уговорна страна задржава по 3 (три) примерка.


НАРУЧИЛАЦ



председник суда
Јасминка Обућина





ПРОДАВАЦ



директор
Небојша Бјелотомич



SAGA d.o.o. Beograd New Frontier Group			
ICT servisi	ICT prodaja	Pravna služba	Služba finansija
			

Партија 23 - Уређаји за штампање Тип 3 (црно-бели штампач ласер А4 са могућношћу дуплекс штампе)

Опис карактеристике

Технологија штампе: Monochrome laser; Резолуција: мин. 1200 dpi ; Формат - Тип штампача: А4 ; Меморија: мин. 256 МВ; Брзина штампања : мин 43 ррт једнострано , 30 ррт двострано; Процесор: Мин 1.5 GHz; Капацитет улазне фиоке: мин 550 листова; Број фиока за папир: 1 фиоке; Формати медија на којима може да се штампа: А4, А5; Двострано штампање: Да; Прикључци: USB 2.0 и LAN RJ-45; Подршка за мрежу: Gigabit Ethernet 10/100/1000 ; Месечни обим штампе: мин 100.0000 страна месечно, препоручено 6.000 страна ; Софтвер у паковању: Да; Подржани оперативни системи: Microsoft Windows; Гаранција: Минимално 12 месеци; Остало: LCD екран

Произвођач/Модел	Количина	Јед. цена без ПДВ-а	Јед. цена са ПДВ-ом	Укупно без ПДВ-а (2x3)	Укупно са ПДВ-ом (2x4)
1	2	3	4	5	6
HP M501 dn	292	54.154,50	64.935,40	15.813.141,00	18.975.236,80

Рок испоруке не може бити дужи од 30 дана.

Понуђени рок испоруке је 30 дана.
(уписати понуђени рок)

Понуђени период гаранције је 12 месеци.
(уписати)



Потпис овлашћеног лица

[Handwritten Signature]



HP LaserJet Enterprise M507 series

Handle business solutions securely, plus help conserve energy with HP EcoSmart toner.


Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.



HP LaserJet Enterprise M507n



HP LaserJet Enterprise M507dn



HP LaserJet Enterprise M507x

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.

Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.⁸
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Enhanced energy savings - up to 29% over prior products plus save with Auto-on/Auto-off technology.³
- This printer fits in tight places to boost performance in almost any workspace.


Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁴—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloud-based printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.⁵

Enhanced productivity keeps business moving

- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.⁷
- Don't wait for documents. Print your first page in as little as 10 seconds from energy-efficient sleep mode.

Product walkaround



Series at a glance



Model (product number)	M507n (1PV86A)	M507dn (1PV87A)	M507x (1PV88A)
Print speed (black) ⁷	Up to 43/45 pages per minute (ppm) (A4/letter) (all models)		
Control panel	6.9 cm (2.7-inch) LCD with keypad	6.9 cm (2.7-inch) LCD with keypad	10.9 cm (4.3-inch) touchscreen
Automatic two-sided printing	Manual (driver support provided)	✓	✓
100-sheet multipurpose tray 1, 550-sheet input tray 2	✓	✓	✓
Standard 550-sheet paper tray 3	Not available	Not available	✓
Optional 550-sheet paper tray	Add up to three	Add up to three	Add up to two
Optional printer cabinet	Add up to one (all models)		
Input capacity (standard/maximum ⁸)	Up to 650/2,300 sheets		Up to 1,200/2,300 sheets
Hardware Integration Pocket ¹	Not available	✓	✓
Recommended Monthly Page Volume ⁹	2,000 to 7,500 pages (all models)		
Cartridge yield ¹⁰	Black: ~ 5,000/10,000/20,000 (standard/high-yield/extra-high-yield) (all models)		
Wireless direct printing ¹¹ /NFC touch-to-print ¹²	Optional	Optional	Built-in wireless direct printing; optional NFC touch-to-print
Dual-band Wi-Fi [®] with Bluetooth [®] Low Energy ⁶	Optional	Optional	Built-in

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



Windows 10



HP Care Pack

Top features

HP printers have the industry's strongest security¹ because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP Jetintelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business.

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business.

Product

1PV86A	HP LaserJet Enterprise M507n
1PV87A	HP LaserJet Enterprise M507dn
1PV88A	HP LaserJet Enterprise M507x

Accessories

1PV95A	HP Internal USB Ports Qty 100 for M507 and M528
2MU47A	HP Accessibility Assistant
2NR12A	HP Removable Hard Drive Enclosure
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
4QL32A	HP Legic Secure USB Reader
B5L28A	HP Internal USB Ports
B5L29A	HP High-Performance Secure Hard Disk
F2A72A	HP LaserJet 550-sheet Paper Tray
F2A73A	HP LaserJet Printer Cabinet
G6W84A	HP 1 GB 90-pin DDR3 DIMM
J8031A	HP Jetdirect 2900nw Print Server
X3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

Supplies

CF289A	HP 89A Black Original LaserJet Toner Cartridge (5,000 pages)
CF289X	HP 89X High Yield Black Original LaserJet Toner Cartridge (10,000 pages)
CF289Y	HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge (20,000 pages)

HP Care Packs

UB6Z2E	HP 3 year Next Business Day w/DMR Service for LaserJet Enterprise M507
UB6Z3E	HP 4 year Next Business Day w/DMR Service for LaserJet Enterprise M507
UB6Z4E	HP 5 year Next Business Day w/DMR Service for LaserJet Enterprise M507
UB6Z5E	HP 3 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M507
UB6Z6E	HP 4 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M507
UB6Z7E	HP 5 year 4 hour 9x5 w/DMR Service for LaserJet Enterprise M507

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja
 HP Universal Print Driver: hp.com/go/upd
 HP Imaging and Printing Security Center: hp.com/go/ipscc

HP LaserJet Enterprise M507 series

Model	HP LaserJet Enterprise M507n	HP LaserJet Enterprise M507dn	HP LaserJet Enterprise M507x
Product number	1PV86A	1PV87A	1PV88A
Functions	Print		
Print			
Duplex print options	Manual (driver support provided)	Automatic (standard)	
Print speed ¹³	Black (A4, normal): Up to 43 ppm; Black (letter, normal): Up to 45 ppm; Black (A4, duplex): Up to 34 ppm; Black (letter, duplex): Up to 36 ppm		
First page out ¹⁴	Black (A4, ready): As fast as 5.9 sec; Black (A4, sleep): As fast as 10 sec		
Print technology	Laser		
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) Up to 600 x 600 dpi; Black (fine lines) Up to 1200 x 1200 dpi		
Print resolution technology	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200		
Print cartridges number	1 (black)		
Standard print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™		
Printer management	HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)		
Connectivity			
Standard connectivity	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy
Mobile printing capability ⁷	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM optional for easy printing	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM capable for easy printing	Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; ROAM optional for easy printing; Wi-Fi® Direct printing
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900w Print Server J8031A	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station functionality available with HP Jetdirect 2900w Print Server J8031A	Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE.
Network capabilities	HP Jetdirect 2900w Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless	HP Jetdirect 2900w Print Server J8031A	HP Jetdirect 2900w Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BLE/NFC/Wireless
Memory	Standard: 512 MB, Maximum: 1.5 GB MAX memory, when Accessory DIMM is installed		
Hard disk	Optional, 500 GB minimum encrypted hard disk drive		
Processor speed	1.2 GHz		
Duty cycle (monthly) ⁸	Up to 150,000 pages; Recommended monthly page volume ⁹ : 2,000 to 7,500		
Paper handling			
Input	100-sheet multipurpose Tray 1, 550-sheet input tray 2	100-sheet multipurpose Tray 1, 550-sheet input Tray 2, automatic duplex printing	100-sheet multipurpose Tray 1, 550-sheet input Trays 2 and 3, automatic duplex printing
Output	250-sheet output bin		
Media types	Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined		
Media weight	Tray 1: 60 to 199 g/m ² ; Tray 2+: 60 to 120 g/m ²		
Media Sizes Custom	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 215.9 x 355.6 mm; Optional 550-sheet Tray: 105 x 148 to 215.9 x 355.6 mm		
Dimensions (w x d x h)	418 x 376 x 299 mm		
Weight	11.21 kg	11.48 kg	16.34 kg
What's in the box ¹	HP LaserJet Enterprise M507n Printer; Regulatory flyer (CD replacement); Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; USB-8ft cable (APJ region only)	HP LaserJet Enterprise M507dn Printer; Regulatory flyer (CD replacement); Chile Regulatory flyer (#ACB); Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/number list; USB-8ft cable (APJ region only)	HP LaserJet Enterprise M507x Printer; Regulatory flyer (CD replacement); Unpack Flyer; Installation Guide; Power cord; Warranty Cards; Support flyers/phone number list; USB-8ft cable (APJ region only)
Software included	No software solutions are included in the Box, only on http://hp.com , http://123.hp.com		
Warranty features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G; wty ID A001)		
Systems			
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com . Enter your product name and search, Click on User Guides and enter your product name and search for User Guide. Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems. For more information on the supported operating systems see http://www.hp.com/go/upd		
Minimum system requirements	PC: 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com ; Mac: 2 GB available hard disk space, Internet connection or USB port, OS hardware requirements see apple.com ;		
Security management	Identity management: Kerberos authentication, LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key; and Kerberos authentication; Supports WPA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP, EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXES, ...); Connection Inspector - helps ensure network connections to device are safe; Security management: Compatible with HP JetAdvantage Security Manager, HP Printer Security Plugin for Microsoft SCCM, Device Security Syslog Messages processed and accessible in ArcSight, Splunk, and McAfee (ESM) SIEMs		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Control panel	2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad		4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Home button
Display	2.7-in (6.86 cm) QVGA LCD (color graphics)		4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)
Power	Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 4 A; Power consumption ² : 601 (Active Printing) 7.60 (Ready), 2.61 watts (Sleep), 0.06 watts (Auto-Off), 0.06 watts (Off), Auto Off/Wake on LAN 0.73 Watt; Typical Electricity Consumption number ³ : 1.257 kWh/Week (Blue Angel); 1.310 kWh/Week (Energy Star)		
Acoustics	Acoustic power emissions ¹² : 6.9 B(A); Acoustic power emissions (ready): 3.9 B(A); Acoustic pressure emissions bystander (active, printing): 55 dB(A); Acoustic pressure emissions bystander (ready): 25 dB(A)	Acoustic power emissions ¹² : 6.9 B(A); Acoustic power emissions (ready): 3.9 B(A); Acoustic pressure emissions bystander (active, printing): 55 dB(A); Acoustic pressure emissions bystander (ready): 25 dB(A)	Acoustic power emissions ¹² : 6.8 B(A); Acoustic power emissions (ready): 3.9 B(A); Acoustic pressure emissions bystander (active, printing): 54 dB(A); Acoustic pressure emissions bystander (ready): 24 dB(A)
Environmental ranges	Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH		
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A12:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479-2010/IEC 62479-2010; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL (UL Listed and UL CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), TFTP Config, ARP, Ping; IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, Syslog; Security: SNMPv3, SSL Cert Management, IPsec/Firewall, ACL, 802.1x		

Footnotes

- ¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit <http://www.hp.com/go/PrintersThatProtect>. For more information: <http://www.hp.com/go/printersecurityclaims>
- ² High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately
- ³ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
- ⁴ HP Web Jetadmin is available for download at no additional charge at <http://www.hp.com/go/webjetadmin>
- ⁵ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit <http://www.hp.com/go/securitymanager>
- ⁶ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.
- ⁷ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at <http://www.hp.com/go/mobileprinting>
- ⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit [hp.com/go/roam](http://www.hp.com/go/roam)

Technical specifications disclaimers

- ¹ In box cartridge yields 5,000 black pages based on ISO/IEC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: <http://www.hp.com/go/learnaboutsupplies>.
- ² With print cartridges
- ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.
- ⁵ Best TEC is not applicable to the ES 2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum Sleep Delay was used, Wi-Fi Direct was disabled, and Active I/O - Energy Efficient Ethernet was used.
- ⁶ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: <http://www.hp.com/go/learnaboutsupplies>
- ⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless Accessory or the RadBeacon USB.
- ⁸ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- ⁹ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ¹⁰ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit <http://www.hp.com/go/SureSupply>.
- ¹¹ FCC Class A emissions - for use in commercial environments, not residential environments
- ¹² Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- ¹³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ¹⁴ Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Walkaround Footnotes

- ¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP LaserJet Enterprise M507dn and M507x models include a second-generation HIP. The M507n does not include a HIP.
- ² An administrator must enable the easy-access USB port before use.
- ³ Tray 3 is only standard on the M507x model.
- ⁴ The HP LaserJet Enterprise M507x model comes with a 4.3-inch (10.9 cm) touchscreen control panel. The HP LaserJet Enterprise M507n and M507dn models come with a 2.7-inch (6.9 cm) display with 24-keypad.
- ⁵ Automatic two-sided printing is not available on the HP LaserJet Enterprise M507n.
- ⁶ Dual-band Wi-Fi® with Bluetooth® Low Energy is standard on the HP LaserJet Enterprise M507x and optional on the M507n and M507dn models with the addition of the HP Jetdirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect Z900nw Print Server (J8031A). Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at hp.com/go/mobileprinting.
- ⁷ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see [hp.com/go/printerclaims](http://www.hp.com/go/printerclaims). Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁸ Purchase of optional paper trays required to reach maximum input capacity.
- ⁹ Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ¹⁰ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: <http://www.hp.com/go/learnaboutsupplies>.
- ¹¹ Wireless direct printing is standard on the HP LaserJet Enterprise M507x. The M507n and M507dn models can add wireless direct printing with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting.
- ¹² Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

To learn more, visit <http://www.hp.com>

hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

Published in APJ 4AA7-4187EEP, April 2019

